

TE_I NOX

TE SERIES SINGLE CELL IP67 STAINLESS STEEL PLATFORMS



Small and medium capacity electronic platforms, having a precise and sturdy structure, are particularly suitable for all types of industrial and commercial applications in which it's necessary to work in environments with strict hygiene requirements.

**ENVIRONMENT: MODERATELY WET,
CORROSIVE**

Working in cooperation with:

CBH VAEGTE APS

VONSILDVEJ 186 - 6000 - KOLDING - DENMARK
Tel. 004575567310 Fax. 004575567320
info@cbh-vaegte.dk

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- Functions with an approved “single point” STAINLESS STEEL load cell according to OIML R60 standards with protection against dust and water splashes according to IP67 standards.
- Structure with tubulars, mechanics, trinkets and loading surface in AISI304 satin finish stainless steel.
- Fitted with adjustable STAINLESS steel feet with plastic resting surface and level.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors (IP65) for connection to the indicator.

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell.
- DCATEXMECH: ATEX declaration for the PLATFORM (for the load cells ATEX declaration see CCATEX-1 code). Option to be offered only if the platform is ordered without the indicator, if so, refer to the chosen weight indicator available certifications.

AVAILABLE UPON PRICE ESTIMATE

- Special sizes and capacities.
- Structure in AISI316 stainless steel.
- Fully-welded IP68/IP69K stainless steel load cell, specific for use in wet environments.

VERSIONS

Available versions

| Codice | l x w x h (mm) | Max (kg) | d (g) | M (g)* | M 2R (g)* | d HR (g)* |
|--------|-------------------|-------------|----------|------------------|---------------------|--------------|
| TSE3 | 230x330x90 | 3 | 0,5 | 1 | 0,5-1 | 0,2 |
| TSE6 | 230x330x90 | 6 | 1 | 2 | 1-2 | 0,5 |
| TSE15 | 230x330x90 | 15 | 2 | 5 | 2-5 | 1 |
| TTE6 | 330x330x90 | 6 | 1 | 2 | 1-2 | 0,5 |
| TTE15 | 330x330x90 | 15 | 2 | 5 | 2-5 | 1 |
| TTE30 | 330x330x90 | 30 | 5 | 10 | 5-10 | 2 |
| TOE15 | 400x400x115 | 15 | 2 | 5 | 2-5 | 1 |
| TOE30 | 400x400x115 | 30 | 5 | 10 | 5-10 | 2 |
| TOE60 | 400x400x115 | 60 | 10 | 20 | 10-20 | 5 |
| TOE150 | 400x400x115 | 150 | 20 | 50 | 20-50 | 10 |
| TME30 | 400x500x115 | 30 | 5 | 10 | 5-10 | 2 |
| TME60 | 400x500x115 | 60 | 10 | 20 | 10-20 | 5 |
| TME150 | 400x500x115 | 150 | 20 | 50 | 20-50 | 10 |
| TCE60 | 500x500x115 | 60 | 10 | 20 | 10-20 | 5 |
| TCE150 | 500x500x115 | 150 | 20 | 50 | 20-50 | 10 |
| TLE60 | 500x600x137 | 60 | 10 | 20 | 10-20 | 5 |
| TLE150 | 500x600x137 | 150 | 20 | 50 | 20-50 | 10 |
| TLE300 | 500x600x137 | 300 | 50 | 100 | 50-100 | 20 |
| TXE60 | 600x600x137 | 60 | 10 | 20 | 10-20 | 5 |
| TXE150 | 600x600x137 | 150 | 20 | 50 | 20-50 | 10 |
| TXE300 | 600x600x137 | 300 | 50 | 100 | 50-100 | 20 |
| TGE150 | 700x700x165 | 150 | 20 | 50 | -- | 10 |
| TGE300 | 700x700x165 | 300 | 50 | 100 | 50-100 | 20 |
| TGE600 | 700x700x165 | 600 | 100 | 200 | 100-200 | 50 |

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy
Tel. +39.0536 843418

CBH VAEGTE APS

VONSILDVEJ 186 - 6000 - KOLDING - DENMARK

Tel. 004575567310 Fax. 004575567320

info@cbh-vaegte.dk

SALES AND TECHNICAL ASSISTANCE SERVICE