

T

## "T" SERIES - SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a AISI304 stainless steel Surface.

- Up to 30000d resolution.
- OIML R60 C3.
- IP67 protection.



Working in cooperation with:

**CBH VAEGTE APS**

VONSILDVEJ 186 - 6000 - KOLDING - DENMARK  
Tel. 004575567310 Fax. 004575567320  
info@cbh-vaegte.dk

The best solution  
for advanced industrial  
applications

## MAIN FEATURES

- Functions with an approved aluminium "single point" load cell according to OIML R60 standards with protection against dust and water splashes according to IP67 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with AISI 304 satin finish stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

## OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

## SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.



## AVAILABLE UPON PRICE ESTIMATE

- Belt and roller units to be applied on the loading Surface.
- Special sizes and capacities.
- IP68/IP69K protection.

## VERSIONS

### Available versions

Codice	I x w x h (mm)	Max (kg)	d (g)	<b>M</b> (g)*	<b>M</b> 2R (g)*	d HR (g)*
TS3	230x330x93	3	0,5	1	--	0,1
TS6	230x330x93	6	1	2	1-2	0,2
TS15	230x330x93	15	2	5	2-5	0,5
TT6	330x330x93	6	1	2	1-2	0,2
TT15	330x330x93	15	2	5	2-5	0,5
TT30	330x330x93	30	5	10	5-10	1
TQ15	400x400x115	15	2	5	2- 5	0,5
TQ30	400x400x115	30	5	10	5-10	1
TQ60	400x400x115	60	10	20	10-20	2
TQ150	400x400x115	150	20	50	20-50	5
TM30	400x500x120	30	5	10	5-10	1
TM60	400x500x120	60	10	20	10-20	2
TM150	400x500x120	150	20	50	20-50	5
TC30	500x500x110	30	5	10	5-10	1
TC60	500x500x110	60	10	20	10-20	2
TC150	500x500x110	150	20	50	20-50	5
TL60	500x600x132	60	10	20	10-20	2
TL150	500x600x132	150	20	50	20-50	5
TL300	500x600x132	300	50	100	50-100	10
TX60	600x600x137	60	10	20	10-20	2
TX150	600x600x137	150	20	50	20-50	5
TX300	600x600x137	300	50	100	50-100	10
TG150	700x700x145	150	20	50	--	5
TG300	700x700x145	300	50	100	50-100	10
TG600	700x700x145	600	100	200	100-200	20

(\*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano - Modena - Italy  
Tel. +39.0536 843418

**CBH VAEGTE APS**

VONSILDVEJ 186 - 6000 - KOLDING - DENMARK

Tel. 004575567310 Fax. 004575567320

[info@cbh-vaegte.dk](mailto:info@cbh-vaegte.dk)

SALES AND TECHNICAL ASSISTANCE SERVICE